

Congratulations on the recent purchase of your new hunting blind. Your blind represents years of commitment to product design, excellence in engineering and quality in manufacturing. With proper care your blind should last for many years to come. Please call our helpful and knowledgeable Customer Support Department if you have any questions.

ABOUT YOUR PRODUCT

The tarp is manufactured from water resistant 420-denier nylon fabric with $\frac{3}{4}$ ounce urethane coating and exterior heavy weight thread.

The box is manufactured from High Density Polyethylene (HDPE). It is a very durable material. Our specially formulated HDPE has an ultra-violet inhibitor blended throughout the material to reduce color fade and maintain its strength for many years of exterior exposure. Polyethylene is a somewhat flexible material that is extremely impact resistant with some memory. This means it has a tendency to return to its original molded shape if distorted.




PARTS

Your blind comes with the following loose parts:

- 1 Tarp
- 3 Mesh windows
- 2 Frame assemblies
- 1 Support bars (bundle)
- 2 Side support bars
- 1 Mounting hardware kit

Keeps You Warm and Dry Even in Severe Weather

Exterior Features




Used by deer and turkey hunters as well as ice fishermen and wildlife photographers

SPECIFICATIONS

Length	3'9"
Width	3'6"
Height	6'
Weight	49 lbs.
Capacity	1
Fold Down Size	42" x 18" x 19"
Item Number	80090

Interior Features



PARTS LIST/ACCESSORIES

Part #	Description
43035	ATV Cover (optional accessory)
43034	Tarp
15210	Pole snap end
15135	Mesh camo window kit
13172	Center support assembly
13174	Front bow assembly
13175	Rear bow
13157	Side support bar
15010	Snap hook
15067	Pad eye
720005	Rivet for pad eye
12036	Rivet Burr #10 for rivet
Box Mounting Parts	
13165	L bracket
13161	Main Support Bracket
13163	Extension Support Bracket
13169	Hanger Bracket
13116	3/4" U-bolt (with nut and backer)
13118	1" U-bolt (with nut and backer)
13122	1 1/4" U-bolt (with nut and backer)
12071	1 1/2" x 1/4-20 bolt
13102	3/4 x 1/4-20 bolt
12090	1/4-20 locknut

PAPERWORK


Owner's Manual and Assembly Instructions. Important: place assembly instructions in a pocket inside the tarp.

MOUNTING TO ATV & SET-UP INSTRUCTIONS

See assembly instructions for details.

LOADING ON TRAILER OR IN TRUCK

Be careful when loading and unloading. Box may come in contact with the ground. Use extremely low speed when loading and unloading.



FIELD APPLICATION

• Off Road Driving and Backing Up

Note that once the blind is mounted your ATV is effectively 20" longer. It will require a slightly wider turning radius and the box will be susceptible to damage if you strike a rock or tree while backing up. Go slow and avoid hitting obstacles.

• Window Options

Your blind has three window options:

1. Completely open.
2. Mesh "see through" screen that prevents the occupant from being silhouetted against an opposing window. The mesh is held in place with Velcro.
3. Completely closed with the heavy nylon camo material when a dark interior is desired or visibility in a particular direction is not needed. The window is zippered.



• Storage Pockets

Notice that the interior of the blind has storage pockets sewn below the window. These were made to store a Thermos, extra gloves, hats, flashlight, hand warmers and other hunting gear.

- Gun Holder

There are molded depressions on both sides of the polyethylene base that neatly fit the butt of a gun.

- Snow Dam Skirt

Your blind comes with a built-in snow dam skirt to keep the snow and cold out. Do not fold snow dam skirt under frame.

SAFETY PROCEDURES

- Do not run the ATV engine while the blind is set up to avoid dangerous exhaust fumes.
- If you use a source of heat inside the blind leave a portion of the door open for ventilation. **KEEP ALL SOURCES OF HEAT OR EXPOSED FLAME AWAY FROM BLIND AND WINDOW MATERIAL. THIS IS NOT A FLAME RESISTANT FABRIC.**
- Periodically check to ensure all mounting fasteners are tight. Vibration can cause loosening overtime.
- Follow all ATV driving precautions as stated in your ATV's operator's manual.
- The identifying "Track 'N Hunt" decal is made from light reflective material. Keep it clean so you can be seen from the rear. **You no longer can depend on the ATV's taillight because the box covers it.**
- We recommend you wear hunter orange whenever you step outside the blind and while setting up or tearing down the blind.
- Do not attempt to move the blind with the ATV while it is set up.
- Box mounting brackets will not support additional heavy loads (i.e. passenger, large game animal, etc.)

CARE, MAINTENANCE & STORAGE

- Attaching the mounting hardware may chip the paint on the cargo rack or mounting framework of the box. Spot paint all chipped areas to prevent rust.
- Clean the tarp with a soft brush and a mild detergent and rinse off. Ensure the tarp is clean and dry before it is stored at the end of the season to avoid odor, mold and mildew.
- When closing blind make sure the collapsed poles do not lie directly on hinge joint. Interference may cause damage to hinge.

- Refrain from sharply creasing windows. Lay windows as flat as possible prior to closing to reduce creases.
- Care must be taken when handling the tarp. Although it is an industrial weight fabric, it is still subject to damage from sharp objects or abuse.
- Avoid placing heaters or lanterns too close to the fabric. Leave a portion of the door open for ventilation.
- To remove the box from the ATV simply remove the two U-bolts from the hanger bracket. Remove U-bolt attaching main support bracket from ATV frame.

HELPFUL SUGGESTIONS

- It is a good idea to position your blind lengthwise (door side) into the wind for least resistance and added ventilation.
- Additional gear may be loaded on top of the ATV's cargo rack.
- To avoid breaking pole snap ends first start at a 45° angle with the tip of the clip. Swing pole 90° snapping it on to the other pole.
- It is recommended that you attach tarp to base prior to first time use.

Visit Our Website
www.klindustries.com

WARNING/CAUTION

This is not a flame resistant fabric. It will burn if left in contact with a flame source. Never use an open flame of any kind inside or near the blind. Notice: keep open flame and heat sources from contacting fabric. If using heaters or lanterns, ventilate using bi-directional zippers on the door.

WARRANTY

Please call us at 231-733-2725 if you have questions or a problem with your blind. Do not return to the retailer.

KL Industries warrants to the original owner of any Viking product. Any part that is defective in material or workmanship will be repaired or replaced at our discretion, without charge, at the purchasers' local dealer or KL Industries.

For personal use, this warranty shall apply for a period of one year from the date of retail sale. Windows excluded. Warranty does not apply to commercial use. This warranty covers use under normal conditions and does not cover damage caused by accidents, alteration or misuse.

Freight to and from local dealer or manufacturer is at owner's expense. All warranty claims must be pre-approved.

**A
Gotta Go To Get Em
Product**

Patent Pending

REV40505

Owner's Manual

The Quad Track 'N Hunt



Affordable Portable Comfortable

KL Industries, Inc.
1790 Sun Dolphin Dr.
Muskegon, MI 49444
Phone 231.733.2725
Fax 231.739.4502

Email klsales@klindustries.com
Website www.klindustries.com